HP LaserJet Enterprise 600 M602



ACCELERATE BUSINESS RESULTS—with performance and expandability.

Share this Premium HP LaserJet printer with workgroups to cut costs and boost productivity. Tackle everyday printing needs, influence print habits, and control printer access with customised printing policies and secure printing.





- Boost productivity with fast print speeds up to 50 ppm¹ and produce documents on a variety of media.
- Manage workflow directly from the printer via the 4-line colour control panel and get quick prints from a USB flash drive.
- Easily meet high-volume demands with automatic two-sided printing², up to four 500-sheet paper trays³, a 100-sheet multipurpose tray and capacity of up to 3,600 sheets⁴.
- Replace toner cartridges easily with simple one-door access and enjoy quiet, clean performance.



Achieve outstanding energy and paper savings.

- Control energy use with HP Auto-On/Auto-Off Technology⁵ which turns your printer on and off based on network activity. Instant-on Technology speeds warm-up/cool-down times, saving even more power⁶.
- Track usage data in real time and apply custom energy-saving options and printer settings with the HP EcoSMART Console⁷.
- Reduce paper use by up to 50% with automatic two-sided printing².
- Pre-installed Original HP toner cartridges reduce waste. Recycle them for free through HP Planet Partners⁸.

Experience secure printing with minimal intervention.

- Take control of printing practices and enforce security policies, using HP Access Control9.
- Command your printing environment and slash costs with HP Web Jetadmin, manage IT resources with the HP Universal Print Driver and reduce environmental impact¹⁰.
- Enhance security on multiple networked devices: expand your network of IP addresses with IPv6, get fast authentication and encryption for sensitive data with IPSec security.
- Effectively manage compliance and security issues across your business.








Extend your print capabilities to keep pace with your growing business.

- Easily update, manage, and expand the capabilities of networked printers using HP FutureSmart Firmware.
- Innovative extensibility simplifies the deployment of customised, HP and third-party workflow and document management solutions.
- Make printing as mobile as you are with HP ePrint now you can print from virtually anywhere 11.
- Get the most out of your investment by adding functionality such as card authentication or new
 accounting measures using the hardware integration pocket¹².

Product walkaround

HP LaserJet Enterprise 600 M602x shown:

- 1. Intuitive 4-line colour display with 10-button keypad
- 2. Hardware Integration Pocket for solution integration
- 3. Walkup USB port
- 4. Built-in automatic two-sided printing
- 5. Convenient front on/off switch
- 6. 500-sheet output bin
- 7. One-door access to install regular or high-capacity toner cartridges
- 8. 100-sheet multipurpose tray 1 handles heavy custom media up to 200 g/m² bond
- 9. Two 500-sheet input trays for a 1,100-sheet total input capacity
- 10. HP Jetdirect 10/100/1000Base-TX Ethernet embedded print server
- 11. 512 MB total memory and an 800 MHz processor quickly handle complex print jobs
- 12. Hi-Speed USB 2.0 port



Series at a glance









Model	HP LaserJet Enterprise 600 M602n	HP LaserJet Enterprise 600 Printer M602m	HP LaserJet Enterprise 600 M602dn	HP LaserJet Enterprise 600 M602x
Product number	CE991A	F3J54A	CE992A	CE993A
Print speeds	Up to 52 ppm letter	Up to 52 ppm letter	Up to 52 ppm letter	Up to 52 ppm letter
Control panel	4-line color display, 10-key pad	4-line color display, 10-key pad	4-line color display, 10-key pad	4-line color display, 10-key pad
Hardware Integration Pocket	Yes	Yes	Yes	Yes
100-sheet multipurpose tray 1	Yes	Yes	Yes	Yes
500-sheet tray 2	Yes	Yes	Yes	Yes
500-sheet tray 3	Optional	Optional	Optional	Yes
500-sheet output bin	Yes	Yes	Yes	Yes
Automatic two-sided printing	Manual (driver support provided)	Yes	Yes	Yes
500-sheet 5-bin Mailbox	Optional	Yes	Optional	Optional
Blue Angel UZ 171 certified	Not available	Yes	Not available	Not available

Accessories, Supplies and Support

Supplies	CE390A HP 90A Black Original LaserJet Toner Cartridge 10,000 pages				
	CE390X HP 90X High Yield Black Original LaserJet Toner Cartridge 24,000 pages				
	CF065A HP LaserJet CF065A 220V Maintenance Kit 225,000 pages				
Accessories	CF062A HP LaserJet Automatic Duplexer for Two-sided Printing Accessory				
	CE998A HP LaserJet 500-sheet Input Tray Feeder				
	CE398A HP LaserJet 1500-sheet Input Tray				
	CE405A HP LaserJet 500-sheet Stapler/Stacker				
-	CE399A HP LaserJet 75-sheet Envelope Feeder				
	CE997A HP LaserJet 500-sheet 5-bin Mailbox				
	CE404A HP LaserJet 500-sheet Stacker				
	CB525A HP LaserJet P4010/P4510/600 Series Printer Stand				
	CB527A HP LaserJet 400-sheet Custom Media Cassette				
	Q3216A HP 1000-staple Cartridge				
	CE483A HP 512 MB 144-pin x32 DDR2 DIMM				
Connectivity	J8026A HP Jetdirect 2700w USB Wireless Print Server				
Service and support	HZ490E HP 3 year Next Business Day with Defective Media Retention LaserJet M602 Support HZ481E HP 3 year 4 hour 13x5 LaserJet M602 Hardware Support HZ488E HP 4 year Next Business Day with Defective Media Retention LaserJet M602 Support HZ489E HP 5 year Next Business Day with Defective Media Retention LaserJet M602 Support HZ501PE HP 1 year Post Warranty Next Business Day with Defective Media Retention LaserJet M602 Hardware Support HZ500PE HP 1 year Post Warranty 4 hour 13x5 LaserJet M602 Hardware Support HZ502PE HP 2 year Post Warranty Next Business Day LaserJet M602 Hardware Support UC742E HP Network Install Mono Mid-range LaserJet Service UZ048E HP AutoSend and Network Configure Installation Mono Mid-range LaserJet				

Technical specifications

Model	HP LaserJet Enterprise 600 M602n	HP LaserJet Enterprise 600 Printer M602m	HP LaserJet Enterprise 600 M602dn	HP LaserJet Enterprise 600 M602x	
Product number	CE991A	F3J54A	CE992A	CE993A	
Print speed	Up to 50 ppm black (A4); Up to 33 ip	om duplex (A4)			
First page out time	As fast as 8.5 sec black (A4, ready)				
Print resolution	Up to 1200 x 1200 dpi black				
Print technology	Laser				
Print Area	Print margins: Top: 6 mm; Bottom: 6 mm; Left: 5 mm; Right: 5 mm; Maximum print area				
Print languages	HP PCL 6, HP PCL 5e (HP PCL 5e driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4)				
Mobile printing capability	HP ePrint, Apple AirPrint™, Mopria-certified				
Monthly duty cycle	Up to 225000 pages (A4), Recommended monthly page volume: 3000 to 15000				
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista® 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts				
SureSupply supported	Yes				
Processor speed	800 MHz				
Display	2.29 x 5.33 cm 4-line colour LCD display, 3 LED lights (Attention, Data, Ready), buttons (Information, Stop/Cancel, Return, Home, Folder, Left Arrow), No numeric keys				
Wireless	Optional, enabled with purchase of a hardware accessory				
Connectivity	Standard: 1 Hi-Speed USB 2.0; 1 Gigabit Ethernet; 2 External Host USB (1 walk-up and 1 external accessible); 2 internal Host USB 2.0-like ports (for 3rd party connection); 1 Hi-Speed USB 2.0 HIP (for 3rd party connection); 0ptional: 802.11b/g/n wireless LAN (Station mode), other networking accessories, HP Jetdirect 2700w USB Wireless Print Server (available early 2012)				
Network ready	Standard				
Memory	Standard: 512 MB; Maximum: 1 GB				
Hard disk	None				

Model	HP LaserJet Enterprise 600 M602n	HP LaserJet Enterprise 600 Printer M602m	HP LaserJet Enterprise 600 M602dn	HP LaserJet Enterprise 600 M602x		
Product number	CE991A	F3J54A	CE992A	CE993A		
Media types	Paper (bond, colour, letterhead, plain, p	Paper (bond, colour, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, shelf edge labels, user-defined				
Paper size	Custom metric: Multipurpose tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional 500-sheet input tray: 148 x 210 to 216 x 356 mm; optional Custom media cassette: 102 x 148 to 170 x 282 mm Supported metric: Multipurpose tray 1: A4, A5, A6, B5 (JIS), B6 (JIS), RA4, 10 x 15 cm, envelope (DL ISO, C5 ISO, C6 ISO, B5 ISO); Tray 2, optional 500-sheet input tray: A4, A5, RA4, B5 (JIS); optional 1500-sheet High-capacity input tray: A4	Custom metric: Multipurpose tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional 500-sheet input tray: 148 x 210 to 216 x 356 mm; optional Custom media cassette: 102 x 148 to 170 x 282 mm Supported metric: Multipurpose tray 1: A4, A5, A6, B5 (JIS), B6 (JIS), RA4, 10 x 15 cm, envelope (DL ISO, C5 ISO, C6 ISO, B5 ISO); Tray 2, optional 500-sheet input tray: A4, A5, RA4, B5 (JIS); optional 1500-sheet High-capacity input tray: A4	Custom metric: Multipurpose tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional 500-sheet input tray: 148 x 210 to 216 x 356 mm; optional Custom media cassette: 102 x 148 to 170 x 282 mm Supported metric: Multipurpose tray 1: A4, A5, A6, B5 (JIS), B6 (JIS), RA4, 10 x 15 cm, envelope (DL ISO, C5 ISO, C6 ISO, B5 ISO); Tray 2, optional 500-sheet input tray: A4, A5, RA4, B5 (JIS); optional 1500-sheet High-capacity input tray: A4	Custom metric: Multipurpose tray 1: 76 x 127 to 216 x 356 mm; Tray 2, tray 3: 148 x 210 to 216 x 356 mm; optional Custom media cassette: 102 x 148 to 170 x 282 mm Supported metric: Multipurpose tray 1: A4, A5, A6, B5 (JIS), B6 (JIS), RA4, 10 x 15 cm, envelope (DL ISO, C5 ISO, C6 ISO, B5 ISO); Tray 2, tray 3: A4, A5, RA4, B5 (JIS); optional 1500-sheet High-capacity input tray: A4		
Paper handling	Standard input: 100-sheet multipurpose tray 1, 500-sheet input tray 2 Standard output: 500-sheet output	Standard input: 100-sheet multipurpose tray 1, 500-sheet input tray 2, Automatic duplexer for two-sided printing Standard output: 1100 sheets (500	Standard input: 100-sheet multipurpose tray 1, 500-sheet input tray 2, Automatic duplexer for two-sided printing Standard output: 500-sheet output	Standard input: 100-sheet multipurpose tray 1, 500-sheet input tray 2, 500-sheet input tray 3, Automatic duplexer for two-sided printing Standard output: 500-sheet output		
	bin; 100-sheet rear output bin	in the face down bin, 100 in rear face up door, and 500 sheets in the 5-bin Mailbox)	bin; 100-sheet rear output bin	bin; 100-sheet rear output bin		
	Optional/Input: Optional 500-sheet input tray, optional Custom media cassette (for tray 2 position only), optional 1500-sheet High-capacity input tray (add up to 4 additional trays for up to 3600-sheet input capacity), optional Automatic duplexer for two-sided printing, optional 75-sheet envelope feeder	Optional/Input: Optional 500-sheet input tray, optional Custom media cassette (for tray 2 position only), optional 1500-sheet High-capacity input tray (add up to 4 additional trays for up to 3600-sheet input capacity), optional 75-sheet envelope feeder	Optional/Input: Optional 500-sheet input tray, optional Custom media cassette (for tray 2 position only), optional 1500-sheet High-capacity input tray (add up to 4 additional trays for up to 3600-sheet input capacity), optional 75-sheet envelope feeder	Optional/Input: Optional 500-sheet input tray, optional Custom media cassette (for tray 2 position only), optional 1500-sheet High-capacity input tray (add up to 4 additional trays for up to 3600-sheet input capacity), optional 75-sheet envelope feeder		
Input capacity	Tray 1: sheets: 100; transparencies: 50 Tray 2: sheets: 500 Tray 3: sheets: 500 (optional)	; envelopes: 10 Tray 3: sheets: 500 (optional)	Tray 3: sheets: 500 (optional)	Tray 3: sheets: 500		
Output capacity	Maximum: Up to 3600 sheets Standard: Up to 600 sheets (500 in the face down bin, 100 in rear face up door), Up to 10 envelopes, Up to 600 sheets Transparancies	Maximum: Up to 3600 sheets Up to 600 sheets (500 in the face down bin, 100 in rear face up door), Up to 1100 sheets (500 in the face down bin, 100 in rear face up door and 500 in the 5-bin Mailbox)., Up to	Maximum: Up to 3600 sheets Up to 600 sheets (500 in the face down bin, 100 in rear face up door), Up to 10 envelopes, Up to 600 sheets Transparancies	Maximum: Up to 3600 sheets Up to 600 sheets (500 in the face down bin, 100 in rear face up door), Up to 10 envelopes, Up to 600 sheets Transparancies		
	1100 sheets Transparancies Maximum: Up to 1100 sheets (Rear face-up door: up to 100 sheets; Top output bin: up to 500 sheets; optional 5-bin mailbox, optional stacker, optional stapler/stacker: up to 500 sheets)					
Paper weight	Multipurpose tray 1: 60 to 200 g/m²; Tray 2, optional 500-sheet input tray, optional Custom media cassette, optional 1500-sheet High-capacity input tray: 60 to 120 g/m²; optional Envelope feeder: 75 to 105g/m²; optional Duplexer: 60 to 120 g/m²	Multipurpose tray 1: 60 to 200 g/m²; Tray 2, optional 500-sheet input tray, optional Custom media cassette, optional 1500-sheet High-capacity input tray: 60 to 120 g/m²; optional Envelope feeder: 75 to 105g/m²; optional Duplexer: 60 to 120 g/m²	Multipurpose tray 1: 60 to 200 g/m²; Tray 2, optional 500-sheet input tray, optional Custom media cassette, optional 1500-sheet High-capacity input tray: 60 to 120 g/m²; optional Envelope feeder: 75 to 105g/m²; optional Duplexer: 60 to 120 g/m²	Multipurpose tray 1: 60 to 200 g/m²; Tray 2, 3: 60 to 120 g/m²; optional 500-sheet input tray, optional Custom media cassette, optional 1500-sheet High-capacity input tray: 60 to 120 g/m²; optional Envelope feeder: 75 to 105g/m²; Duplexer: 60 to 120 g/m²		
Standard connectivity		1 Hi-Speed USB 2.0; 1 Gigabit Ethernet; 2 External Host USB (1 walk-up and 1 external accessible); 2 internal Host USB 2.0-like ports (for 3rd party connection); 1 Hi-Speed USB 2.0 HIP (for 3rd party connection)				
What's in the box	HP LaserJet Enterprise 600 M602n Printer; HP Black LaserJet Toner cartridge (~10,000 pages); Right-angled power cord; Software and documentation on CD-ROM; Getting Started Guide; Support flyer; HP ePrint flyer; Warranty Guide (where applicable)	Printer; Right-angled power cord; Software and documentation on CD-ROM; HP Black Laser Jet Toner cartridge (~10,000 pages); Automatic duplexer for two-sided printing; Getting Started Guide; Support flyer; HP ePrint flyer; Warranty Guide (where applicable); Automatic Duplexer Errata sheet, bundled with a 500-sheet 5-bin Mailbox (CE997A HP Laser Jet 500-sheet 5-bin Mailbox)	HP LaserJet Enterprise 600 M602dn Printer; HP Black LaserJet Toner cartridge (~10,000 pages); Right-angled power cord; Software and documentation on CD-ROM; Automatic duplexer for two-sided printing; Getting Started Guide; Support flyer; HP ePrint flyer; Warranty Guide (where applicable); Automatic Duplex Errata sheet	HP LaserJet Enterprise 600 M602x Printer; HP Black LaserJet Toner cartridge (~10,000 pages); Right-angled power cord; Software and documentation on CD-ROM; 500-sheet input tray; Automatic duplexer for two-sided printing; Getting Started Guide; Support flyer; HP ePrint flyer; Warranty Guide (where applicable); Automatic Duplex Errata Sheet		

Model	HP LaserJet Enterprise 600 M602n	HP LaserJet Enterprise 600 Printer M602m	HP LaserJet Enterprise 600 M602dn	HP LaserJet Enterprise 600 M602x	
Product number	CE991A	F3J54A	CE992A	CE993A	
Replacement cartridges	HP 90A Black LaserJet Toner Cartridg	e (~10,000 pages) CE390A; HP 90X Black l	LaserJet Toner Cartridge (~24,000 pages) C	E390X	
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: NetWare NDS, Bindery, NDPS, ePrint				
Compatible operating systems	Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (all 32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Mac 05 X v10.5, v10.6, v10.7; Citrix and Windows Terminal Services (see System Administrator's Guide at hp.com/go/upd, Documentation tab for latest support); Novell (see novell.com/iprint for latest support); Linux (see hplip.net); LiNux (see hp.com/go/unix, hp.com/go/unixmodelscripts, and hp.com/go/sap/drivers and hp.com/go/sap/print)				
Minimum system requirements	Windows: Windows 8, Windows 7, Windows Vista, Windows XP (SP2 or higher), Windows Server 2003 (SP1 or higher), Windows Server 2008, Windows Server 2008 R2; 200 MB available hard disk space; operating system compatible hardware system requirements, see microsoft.com Mac: Mac OS X v10.5, v10.6, v10.7; 150 MB available hard disk space; operating system compatible hardware system requirements, see: http://www.apple.com				
Software included	Windows® Installer, HP PCL 6 discrete driver; Mac Installer, Postscript driver				
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in				
Printer management	HP Web Jetadmin; HP SureSupply; HF	Utility (Mac)			
Control panel	2.29 x 5.33 cm 4-line colour LCD disp	olay, 3 LED lights (Attention, Data, Ready), b	outtons (Information, Stop/Cancel, Return, H	Iome, Folder, Left Arrow), No numeric keys	
Printer dimensions (W x D x H)	Minimum: 415 x 428 x 398 mm Maximum: 415 x 768 x 398 mm	Minimum: 415 x 508 x 969 mm Maximum: 415 x 768 x 398 mm	Minimum: 415 x 508 x 398 mm Maximum: 415 x 768 x 398 mm	Minimum: 415 x 508 x 513 mm Maximum: 415 x 768 x 513 mm	
Package dimensions (W x D x H)	588 x 540 x 499 mm	588 x 633 x 499 mm	588 x 633 x 499 mm	588 x 633 x 749 mm	
Printer Weight	23.7 kg	33.01 kg	26.3 kg	32.8 kg	
Package weight	27.5 kg	30.1 kg	30.1 kg	38.9 kg	
Operating environment	Temperature: 15 to 32°C, Humidity: 10 to 80% RH				
Storage	Temperature: -30 to 60°C, Humidity: 10 to 90% RH				
Acoustics	Acoustic power emissions: 7.0 B(A); Acoustic pressure emissions: 56 dB(A)				
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) Consumption: 820 watts (printing), 21 watts (standby), 5.5 watts (sleep), 1.0 watt (auto-off), 0.3 watts (manual-off); Typical Electricity Consumption (TEC): 3.763 kWh/Week Power supply type: Built-in power supply				
Certifications	CISPR 22: 2005 EN 55022: 2006 +A1 Class B, EN 61000-3-2: 2006, EN 61000-3-3: 2008, EN 55024: 1998 +A1+A2, FCC Title 47 CFR, GB9254-2008, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries Blue Angel ENERGY STAR® qualified ENERGY STAR® qualified				
Warranty	One year on-site warranty. Optional HP Care Pack services available. Warranty and support options vary by product, country and local legal requirements.				

Footnotes

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver and document complexity; ² Automatic two-sided printing is only available on the HP Laser let Enterprise 600 M602x printers. The Automatic Two-sided Printing Accessory may be purchased separately for the HP Laser let Enterprise 600 M602x Printer; ³ Ho 1 x 1,500-sheet high-capacity input tray may be purchased separately for the HP Laser let Enterprise 600 M602 Printer series; ⁵ HP Auto-On/Auto-Off capabilities subject to printer and settings. Actual power usage may vary; ⁶ Compared with products that use traditional fusing; ⁷ May require a firmware upgrade; ⁸ Programme availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners programme. For more information, or to request return envelopes and bulk collection boxes, visit www.hp.com/recycle; ⁹ HP Access Control must be purchased separately, ¹⁰ HP Web Jetadmin is free and can be downloaded at www.hp.com/go/webjetadmin. The HP Universal Print Driver is free and can be downloaded at www.hp.com/go/upd.; ¹¹ Requires an Internet connection to the printer. Feature works with any Internetand e-mail-capable device. Print times may vary. For a list of supported documents and image types, see www.hp.com/go/eprintcenter. Some HP LaserJet products will require a firmware upgrade; ¹² Solutions deployed through the hardware integration pocket may require additional purchase.











http://www.hp.com/uk



